

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 4398-208

C# M#

BREWER et al.

TC/A.U.

3743


Serial No. 10/035,199

Examiner: Mital B. Patel

Filed: January 4, 2002

Date: August 26, 2005

Title: DETERMINATION OF MASK FITTING PRESSURE AND CORRECT MASK FIT

3743  
JCB

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**RESPONSE/AMENDMENT/LETTER**

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.****Fees are attached as calculated below:**

Total effective claims after amendment 47 minus highest number  
previously paid for 47 (at least 20) = 0 x \$50.00 \$0.00 (1202)/\$0.00 (2202) \$

Independent claims after amendment 8 minus highest number  
previously paid for 8 (at least 3) = 0 x \$200.00 \$0.00 (1201)/\$0.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add  
\$360.00 (1051)/\$180.00 (2051) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this  
paper and attachment(s)  
One Month Extension \$120.00 (1251)/\$60.00 (2251)  
Two Month Extensions \$450.00 (1252)/\$225.00 (2252)  
Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)  
Four Month Extensions \$1590.00 (1254)/\$795.00 (2254) \$

Terminal disclaimer enclosed, add \$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee \$180.00 (1806) \$

Assignment Recording Fee \$40.00 (8021) \$

Other: \$

**TOTAL FEE ENCLOSED \$ 0.00**

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

901 North Glebe Road, 11th Floor  
Arlington, Virginia 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100  
PTB:jck

NIXON & VANDERHYE P.C.  
By Atty: Paul T. Bowen, Reg. No. 38,009

Signature: 


**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application

BREWER et al.

Appl. No. 10/035,199

Filed: January 4, 2002



Atty. Ref.: 4398-208; Confirmation No. 2505

TC/A.U. 3743

Examiner: Mital B. Patel

For: DETERMINATION OF MASK FITTING PRESSURE AND CORRECT MASK FIT

\* \* \* \* \*

August 26, 2005

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**AMENDMENT**

In reply to the Official Action dated May 27, 2005, please amend the above-identified application as follows: